Dominion 55 Airby Ridge Road, Parkershurg, WV 26104 Web Address: www.dom.com



February 1, 2012

The Natural Gas STAR Program U.S. EPA (6207J) 1200 Pennsylvania Avenue, NW Washington, DC 20460

Please find enclosed the Natural Gas STAR Implementation Plan for Dominion Transmission, Inc. This is the first submittal for Dominion Transmission and we look forward to working with you as we continue to implement practices to minimize methane releases in our natural gas transmission system.

Should you have any questions regarding this submittal, please do not hesitate to contact me at (304)-464-5961.

Sincerely,

Roberta J. Jackson, P.E.

Roberts J. Jackson

Manager, Environmental Regulation

Mary Beth Stanton Brian Sheppard Jeff Barger Paul Ruppert Lisa Moerner

GMR Cound No. 2080-0328 Expires 07/31/2011

## Implementation Plan



## Transmission Sector

#### Company Information

Part I de Lint Here

If the information provided above is incorrect, please make corrections below:

Company Name: Dominion Transmission, Inc.

Gas Star Contact: Roberta J. Jackson

Manager, Environmental Regulation

Address: 55 Ashby Ridge Road

City, State, Zip Code: Parkersburg, WV 26104

Telephone: Fax:

roberta.i.iackson@dom.com

#### Implementation Plan Elements

Email:

#### ELEMENT 1 Best Management Practices (BMPs)

The following BMPs have been identified as significant opportunities to cost effectively reduce methane emissions from the transmission sector. They were selected based on their applicability to the industry, economic feasibility, and cost-effectiveness. There are 3 core BMPs for the transmission sector.

BMP 1 Directed inspection and maintenance at compressor stations

BMP 2 Use of turbines at compressor stations

BMP 3 Identify and replace high-bleed pneumatic devices

For detailed information on these BMPs, please refer to the Lessons Learned publications on the Natural Gas STAR website: epa gov/gasstar/tools/recommended.html.

#### ELEMENT 2 Partner Reported Opportunities (PROs)

Current partners have reported many processes and technologies that are considered "other Best Management Practices" by the program. New partners are encouraged to evaluate and report current and new practices or technologies that cost effectively reduce methane emissions. PROs are made available to all partners, and can be viewed at: epe.gov/gasstar/tools/recommended.html.

#### **ELEMENT 3** Inventory Past Reductions

Partners are encouraged to report past methanie emission reductions back to 1993. Accounting for these historical reductions will create a permanent record of your company's methanie emission reduction efforts. More information is available in the Spring 1999 Natural Gas STAR Partner Update, which can be viewed at: epa.gov/gasstar/newsroom/partnerupdate.html.

The Implementation Plan is designed to be a dynamic tool for Natural Gas STAR Partners to plan their program activities. As company priorities and plans shift over time, the Implementation Plan may be revised or updated by submitting a new form to the program.



GMB Control No. 2000-0228 Expires 97/21/2011

## ELEMENT 1 Best Management Practices

BMP 1 Implement Directed Inspection and Maintenance at Compressor Stations				
A DI&M program is a system for performing routine le leak measurement data from previous inspections are inspections and direct maintenance to those leaks that	used to guid	e subsequent	Estimated Reduction Potential 8,540 Mcf per station	
Will you be implementing this BMP?   If no, why?  Not cost effective  May consider at a later date  Other ple	☐ No	<b>K</b> C		
If yes, at what scale will you be implementing this BMI  Company Wide Pilot Project Other Please describe:	ΡŻ	remediate leaks and	will be inspected to detect and other issues. Subsequent duled based on previous	
Activity	Summary			
Total number of compressor stations? 102  Total number of compressor stations at which DI&M w	ill take place	2 91		
Inspection	on Schedule			
Please list in detail the number of compressor stations  Year 2011 Number of compressor station  Year 2012 Number of compressor statio  Year 2013 Number of compressor statio  Year 2014 Number of compressor statio	ns <u>1</u> ns <u>90</u> ns <u>TBD</u>	⊠ biennually ement BMP 1 in u	other	
Additional Information on A		lans and Projects		

If additional space is needed, please continue on the back.

OMB Control No. 2000 6328 Stattest 67/21/2011

If yes, at what scale will you be implementing this BM Company Wide Pilot Project Other  Please describe:  Activi  Please fill out the table below to show the total numb  Reciprocating Engines in Operation Engines to Retire  Number  Horsepower  Fuel use (e.g., MMct/year)  Installat  Total number of turbines installed by the end of	BMP 2 Use of Turbines at Compressor Stations				
If no, why?    Not cost effective   May consider at a later date   Have already implemented   Other   Please describe:    Activity   Please fill out the table below to show the total numb   Reciprocating   Engines in Operation   Retire   Please describe:    Number   Horsepower   Fuel use (e.g., MMcf/year)   Installat   Total number of turbines installed by the end of	neir exhaust. Replacing these	Estimated Reduction Potential 0.234 Mcf/np/hr per replacement			
Company Wide Pilot Project Other  Please describe:  Activi  Please fill out the table below to show the total numb Reciprocating Engines in Operation Number  Horsepower  Fuel use (e.g., MMcf/year)  Installat  Total number of turbines installed by the end of	Not cost eff levels of ou ease describe	ective at the volume r stations.			
Please fill out the table below to show the total numb  Reciprocating Engines in Engines to Operation  Number  Horsepower  Fuel use (e.g., MMcf/year)  Installat  Total number of turbines installed by the end of	P?				
Engines in Operation Retire  Number  Horsepower  Fuel use (e.g., MMcf/year)  Installat  Total number of turbines installed by the end of	y Summary er of engines selected for BM	P 3.			
Horsepower  Fuel use (e.g., MMcf/year)  Installat  Total number of turbines installed by the end of	be Retired	New Turbine Installations (i.e., not Replacing Retired Engines)			
Fuel use (e.g., MMcf/year) Installat  Total number of turbines installed by the end of					
MMc//year) Installet  Total number of turbines installed by the end of					
Total number of turbines installed by the end of					
	on Schedule				
M225-3321 (20m)452-1					
Year 1: Year 2	Year 3: Y	ear 4:			
Total number of reciprocating engines retired by the e	nd of				
Year 1: Year 2:		ear 4:			

If additional space is needed, please continue on the back.

OMB Connel No. 2000-0329 Engires 07/31/2011


BMP 3 Identify and Replace High-Bleed	Pneumatic Devices
Pneumatic devices used in the transmission sector actuate isolat gas flow and pressure at compressor stations, pipelines, and stor distribution sector they are used on meter runs at gate stations for pressure. Reptacing high-bleed pneumatic devices with low- or no or eliminates emissions and improves safety.	rage facilities. In the Reduction Potential Reduction Re
Will you be implementing this BMP?   If no, why?  Not cost effective  May consider at a later date  Have already implemented  Other	We will pilot this project in one area. However, large bleed devices in other areas are under consideration for replacement.
If yes, at what scale will you be implementing this BMP?  Company Wide Pilot Project Other Please describe:	There are 55-60 devices in the pilot area, representing 10-15% of the system devices.  Replacements in years 2 through 4 to be determined based on results of pilot project.
Activity Summary	
Number of high-bleed pneumatic devices in system?  Number of high-bleed pneumatic devices to be replaced?	17
Replacement Sched	ule
Number of high-bleed pneumatic devices to be replaced by the er  Year 1: 17 Year 2: TBD Year 3:	
Additional Information on Anticipated	I Plans and Projects

If additional space is needed, please continue on the back.

OMH Control No. 2000-8228 Expires 07/31/2011

# ELEMENT 2 Partner Reported Opportunities

	PROs	
reported to Natural Gas STAR as PROs. Following is a	ologies or practices to reduce methane emissions. These can be a list of some of the PROs that have been reported by other Gastions (for more information on these PROs, please view:	
Use fixed/portable compressors for pipeline pumpd Use composite wrap repair for non-leaking pipeline Install electric compressors Use hot taps for in-service pipeline connections Replace wat compressor seals with dry seals	own defects	
PROs you will be implementing	Please describe	
PRO Reducing emissions when taking compressors off-line At what scale will this PRO be implemented?  Company Wide Pilot Project Other as appropriate / cost effective	Implemented engine blow-down recovery system at pilot station. Have fitted two additional stations, with two more planned for 2012.  Developed process to determine when it is cost-effective to use pipeline pumpdown, and/or portable field compressors to reduce line pressure prior to blow down.  At stations where implemented, capped ESD tests are conducted annually for four sequential years, with a full ESD test in year five.	
PRO Reduce pressure prior to blow down  At what scale will this PRO be implemented?  Company Wide Pilot Project Other		
PRO Capped ESD tests  At what scale will this PRO be implemented?  Company Wide Pilot Project Other as appropriate for facility		
PRO		
PRO		



### ELEMENT 3 Inventory Past Reductions

#### An inventory of past reductions will help to create a permanent record of your past efforts.

As a first step, many new partners find it useful to inventory and document past methane emission reduction efforts. The inventory process helps companies quantify the success of their past activities and target future emission reduction efforts. Historical emission reductions identified as part of the inventory process can be reported to the Gas STAR Program.

Will you inventory past activities to include in your annual report?

| Yes

No.

If yes, please describe your company's plans for reviewing past emission reduction activities.

- We will review methane reductions documented in our process improvement projects.
- We will inventory the number of occurrences in other practices, and multiply them by the methane savings per event, as calculated through other Partner Reported Opportunities.

The Natural Gas STAR Program thanks you for your time.

Please send completed forms to:

Regular Mail
The Natural Gas STAR Program
U.S. EPA (6207J)
1200 Pennsylvania Avenue, NW
Washington, DC 20460

Express/Overnight Mail
The Natural Gas STAR Program
U.S. EPA (6207J)
1310 L Street, NW
Washington, DC 20005

Questions? Please call Jerome Blackman: (202) 343-9630 or Fax (202) 343-2342

The public reporting and recordicepting burden for this collectum of information is estimated to average 25 hours for each new response and 12 hours for subsequent responses. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822 F), 1200 Permsylvania Ave., NW, Washington, D.C. 20460. Include the OMH control number in any correspondence. Do not send the completed firm to this address.

